

CUADRADOS

OFICINA:


Polígono Industrial Morea Sur, 52
 31191 BERIAIN (Navarra) ESPAÑA
 Tel. +34 948.310.176
 Fax: +34 948.310.090
[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)
[Internet: www.aldoma.com](http://www.aldoma.com)

FABRICA

Manufacturas Aldoma
 Tel.: 0034-975.301.012
 Fax.: 0034-975.301.036
[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	B mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
18701313	13	13	1,3	164	92,1
18701414	14	14	1,2	166	101,9
J1028	15	15	1,5	219	107
1941616	16	16	1,3	206	117
13001616	16	16	1,2	192	118,5
1942020	20	20	1,3	263	149
01942023 (R3)	20	20	1,6	303	140
18702020	20	20	1,3	260	148,5
16052798 (Autorroscante)	20	20	1,3	350	189,3
18702020-B	20	20	1,5	300	147
J0002	20	20	2	389	143
18702525	25	25	1,2	308	189,4
18702525-B	25	25	2	497	182,9
J0001	25	25	1,5	381	187
1943030	30	30	2,6	745	219
1943032 (R3)	30	30	1,6	475	220
18703030	30	30	1,2	373	229,4
8301/18730302	30	30	2	605	222,8
B-6 (Autorroscantes)	30	30	1,1	405	262,5
18713030 (Autorroscantes)	30	30	1,5	557	257,7
130120	35	35	1,2	473	268,6
J1013	35	35	1,5	127,5	267
18703535	35	35	2,5	877	259,5
1944040	40	40	1,3	543	310
01944014(R4)	40	40	1,4	584	296

CUADRADOS



OFICINA:


Polígono Industrial Morea Sur, 52
 31191 BERRIAIN (Navarra) ESPAÑA
 Tel. +34 948.310.176
 Fax: +34 948.310.090
[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)
[Internet: www.aldoma.com](http://www.aldoma.com)

FABRICA

Manufacturas Aldoma
 Tel.: 0034-975.301.012
 Fax.: 0034-975.301.036
[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	B mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
18740401 (J1017)	40	40	1,15	482	309,4
18704040-A	40	40	1,25	524	309
18704040	40	40	1,3	539	308,5
1944044	40	40	1,4	586	310
18740415	40	40	1,5	623	306,6
7355 (Cantos redondos)	40	40	1,5	608	300
12128	50	50	2	1041	383
18750502	50	50	2	1.037	383
18750503	50	50	3	1.521	373,8
18705050-B	50	50	4	1.978	367
18705151	51	51	2	1.058	391
13020000-A	60	60	1,3	824	468,6
19466060	60	60	1,4	669	466
1946065	60	60	1,5	951	466
13020000	60	60	1,5	923	471,9
4084	70	70	1,3	964	549,09
18707070	70	70	2	1.469	543
1948080	80	80	1,5	1.276	627
4077	80	80	1,4	1.188	628,29
8304 (J1022)	80	80	2	1,685	624
18701002	100	100	2	2.116	784
4074	100	100	1,5	1.595	787,48
18701515	15	15	MACIZO	607	59,1
18702222	20	20	MACIZO	1.080	79
8781	25	25	MACIZO	1.692	99,1

ANGULOS




OFICINA:

Polígono Industrial Morea Sur, 52
31191 BERIAIN (Navarra) ESPAÑA
Tel. +34 948.310.176
Fax: +34 948.310.090
[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)
[Internet: www.aldoma.com](http://www.aldoma.com)


FABRICA

Manufacturas Aldoma
Tel.: 0034-975.301.012
Fax.: 0034-975.301.036
[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	B mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
13501510	10	15	1,7	106	51
13001515	15	15	1,2	93	59,5
4951515	15	15	1,3	101	59
J1039	15	15	2	152	59,3
7065	16	8	5	454	57
4190221	19	19	1,1	108	74
4932010	20	10	1,3	101	59
13402010	20	15	1,7	153	59,2
8309-A	20	20	1,2	126	79,2
8309	20	20	1,3	136	79,2
13002020	20	20	2	205	79,2
13003020	20	30	2	259	99,2
13002520	25	20	3	340	89,2
8707	20	40	1,3	206	119,2
13002515	25	15	2	205	79,2
13002525-A	25	25	1,2	158	99,5
13002525-B	25	25	1,5	197	100
4933015	30	15	1,3	154	89
13003015	30	15	1,5	187	89,2
13003020-A	30	20	1,5	196	99,3
J1043	30	20	2	260	99,3
8310-A	30	30	1,2	190	119,2
8310	30	30	1,3	206	119,2
13308000	30	30	1,9	313	120
8310-B	30	30	3	462	119,2
4092	35	15	1,2	158	99,36
493402	40	20	1,3	206	119
7076	40	27	6	978	130,9
13404040-A	40	40	1,25	266	159,2
13404040	40	40	1,3	276	159
4934044	40	40	1,4	298	160



ANGULOS



OFICINA:

Polígono Industrial Morea Sur, 52
31191 BERIAIN (Navarra) ESPAÑA
Tel. +34 948.310.176

Fax: +34 948.310.090

[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)

[Internet: www.aldoma.com](http://www.aldoma.com)

FABRICA

Manufacturas Aldoma


Tel.: 0034-975.301.012

Fax.: 0034-975.301.036

[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	B mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
13404040-B	40	40	1,5	318	159,1
13004040-B/13310000	40	40	1,9	401	166
13404003	40	40	3	637	166
J1032	40	40	3,5	723	159,3
I5901	45	45	4,5	1.027	175,9
4093	50	25	1,2	239	149,36
13050252	50	25	2	393	149,23
5577	50	25	3	583	149
13005050	50	50	1,5	399	200
13005050-B	50	50	2	529	200
13505050-B	50	50	2,3	607	199,5
13050505	50	50	5	1.283	99,36
13550507	50	50	7	1.758	199,2
J0092	55	65	4	1.345	283
J0093	110	65	6	2.893	405
7363	60	26	1,3	296	171
13006030	60	30	1,3	311	179,4
13406040	60	40	1,3	346	199,2
4936040	60	40	1,4	374	200
13460402	60	40	2,7	709	200
8305-B	60	40	2	529	199,1
J1008	60	40	2,7	709	198,7
4877-A	60	60	1,3	416	239
4877	60	60	1,5	480	239,4
4936060	60	60	1,6	513	239
13006060	60	60	6	1.847	239,2
4880	80	40	1,4	448	239,4
J1021	80	40	2,7	855	239,4

RECTANGULARES



OFICINA:

Polígono Industrial Morea Sur, 52
 31191 BERRIAIN (Navarra) ESPAÑA
 Tel. +34 948.310.176
 Fax: +34 948.310.090
[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)
[Internet: www.aldoma.com](http://www.aldoma.com)

FABRICA


Manufacturas Aldoma
 Tel.: 0034-975.301.012
 Fax.: 0034-975.301.036
[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	B mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
131020	20	10	1,2	0,179	109,4
J0098 (Cantos Redondos)	23	17	2	0,361	133,8
13103010	30	10	1,5	0,3	151
2218107	30	11	1	212	155
4150	30	14	1,3	0,291	164,6
B-5 C/PORTATORORNILLO	30	15	1,1	0,311	200
13103015	30	15	1,3	0,298	168,6
2963020	30	20	1,3	333	190
8516	30	20	1,3	0,333	189,1
13103020-A	30	20	1,5	0,38	275
13103020	30	20	2	0,497	183
3104010(cantos redondeados)	40	10	1,5	0,381	191
8718	40	15	1,3	0,363	206,5
13104020-A	40	20	1,1	0,343	230,1
13108000-A	40	20	1,25	0,389	229
2965520	40	20	1,5	405	230
13108000	40	20	1,3	0,395	231,3
4067(Cantos redondos)	40	20	1,4	0,418	220,9
J1036	40	20	1,5	0,462	227
13108000-B	40	20	2	0,669	222,5
13140203	40	20	3	0,875	215
5457	40,5	28,75	3	1,024	252,74
131120	50	20	1,3	0,473	268,6
13105025	50	25	2	0,767	283
13105030	50	30	1,8	0,742	304,2
13105040	50	40	1,3	613,5	349
2965520	55	20	1,3	516	290
J1002	60	20	2	0,821	303
2966040	60	20	1,3	545	309
13106010	60	10	2	0,713	263
13116000-A	60	20	1,25	0,524	309



**MANUFACTURAS
ALDOMA, S.L.**

RECTANGULARES



OFICINA:

Polígono Industrial Morea Sur, 52
31191 BERIAIN (Navarra) ESPAÑA
Tel. +34 948.310.176
Fax: +34 948.310.090
[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)
[Internet: www.aldoma.com](http://www.aldoma.com)


FABRICA

Manufacturas Aldoma
Tel.: 0034-975.301.012
Fax.: 0034-975.301.036
[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	B mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
13116000	60	20	1,3	0,532	312
13106020-A	60	20	1,15	0,482	309,3
13116015	60	20	1,5	0,623	307,5
13160202	60	20	2,5	1,012	298,6
13106030	60	30	1,2	568	349,9
13106040-A	60	40	1,2	0,632	388,9
2966040	60	40	1,4	756	394
13122000-A	60	40	1,3	0,683	388,5
13122000	60	40	1,5	0,772	391
13122000-B	60	40	2	1,036	382,5
13160403	60	40	3	1,523	376
13122004	60	40	4	1,987	367
5373	70	20	1,2		349,9
2188269(R4)	69,2	22,7	1,2	564	347
13107020	70	20	1,3	0,614	348,5
13107020-B	70	20	2	0,929	343
13107040	70	40	2	1,144	422,6
9967(C.REDONDOS)	79	39	1,9	1,11	432,9
D-62 (C. REDONDOS)	80	18	1,2	0,605	374,2
13108020-A	80	20	1,2	0,632	388,9
13127000-A	80	20	1,3	0,683	388,5
13127000	80	20	1,4	734,7	387,6
2968020	80	20	1,5	789	387
13180201	80	20	1,5	785,3	386,62
J1023	80	20	1,7	887	385,4
13180202	80	20	2	1,037	383,5
13180203 (C.REDONDOS)	80	20	3	1,502	370,4
13108024	80	24	1,3	701	399,2



RECTANGULARES



OFICINA:


Polígono Industrial Morea Sur, 52
31191 BERIAIN (Navarra) ESPAÑA
Tel. +34 948.310.176
Fax: +34 948.310.090
[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)
[Internet: www.aldoma.com](http://www.aldoma.com)

FABRICA

Manufacturas Aldoma
Tel.: 0034-975.301.012
Fax.: 0034-975.301.036
[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	B mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
13180302	80	30	2	1,145	422,9
2968040	80	40	1,5	948	467
13108040-A	80	40	1,25	793,1	469
13128000-A	80	40	1,3	0,824	468,5
13128000	80	40	1,5	0,948	468
2968046	80	40	1,6	1011	467
13180402 (J1034)	80	40	2	1,253	463
13128000-B/13180403(J1035)	80	40	3	1,847	454,9
9744	80,2	40,2	2,5	1,555	459,3
J1019	100	20	1,2	763	469,4
1313000-A	100	40	1,4	1,037	547,8
13130000	100	40	1,5	1,109	546,8
13110040	100	40	3	2,169	534,76
13110060	100	60	3	2,493	613,76
4062	117,2	37,2	1,4	1,188	628,29
13135000 C/portatornillo	150	40	1,5	1,584	768,9
13112040	120	40	1,7	1,438	626
4138(c.redondos)	120	60	6	5,443	661,7
13112080	120	80	3	3,132	775
13500001	120	86	1,5	1,644	808,6
13500002	158	63	1,5	1,766	868,6
13117050	170	50	2,7	3,129	857,3

PLETINAS



OFICINA:

Polígono Industrial Morea Sur, 52
 31191 BERIAIN (Navarra) ESPAÑA

Tel. +34 948.310.176

Fax: +34 948.310.090

[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)

[Internet: www.aldoma.com](http://www.aldoma.com)

FABRICA

Manufacturas Aldoma

Tel.: 0034-975.301.012

Fax.: 0034-975.301.036


[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	B mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
8620	10	2,5	68	24,5
13025000	20	2,5	134	44,1
136040	20	2,5	128	42,6
52088	20	3	162	45
052585 (R1,5)	20	3	157	43
13025003	25	3	202,5	55,5
13025315 8 (C.REDONDOS)	25	3	197	53,4
5962503	25	3	203	46
4361	27	9	656,1	70,3
J1024	30	2,5	174	64,4
4606	30	2,7	218	64,88
5962503	30	4	324	66
13040000	30	4	324	67,5
13060000	30	6	486	72
5963008	30	8	650	76
50550	30	12	972	84
1001	32	8	683	77
13003517	35	17	1,607	103,5
13040006	40	4	432	87,1
5964006	40	6	650	92
13040060	40	6	648	91,5
13004008	40	8	864	95,5
5964010	40	10	1060	100
13040010	40	10	1,08	99,5
5962040	40	20	2166	120
1002	45	11	1,385	105
J1033	48	2,2	286	99,9



ALUMINIO
MANUFACTURAS
ALDOMA, S.L.

PLETINAS




OFICINA:

Polígono Industrial Morea Sur, 52
31191 BERIAIN (Navarra) ESPAÑA
Tel. +34 948.310.176
Fax: +34 948.310.090
[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)
[Internet: www.aldoma.com](http://www.aldoma.com)

FABRICA

Manufacturas Aldoma
Tel.: 0034-975.301.012
Fax.: 0034-975.301.036
E-MAIL ADDRESS: aldomaalmazan@arrakis.es

REFERENCIA	A mm.	B mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
5966008	50	4	542	108
13005008	50	8	1,08	115,48
13005010	50	10	1,35	119,48
5965005 (R5)	50	5	650	105
13005005	50	5	669	108
2421-G	50	25	3,375	149
13006004	60	4	648	127,5
5968010	60	6	1301	136
13006010	60	10	1,62	139,5
5966015	60	15	2439	150
4700-G	60	15,5	2,511	154
5967515	75	15	3049	180
5968010	80	10	2167	179
5968014	80	14	3035	187
13008020	80	20	4,319	200
5969306(R3)	93	6	1491	193
4412-G	95	12,5	3,206	223
13001006	100	6	1,62	211
5961010	100	10	2709	219
9509	100	10	2,7	213
5961015	100	15	4064	229
J0011	100	40	950	355
5961212	120	12	3902	264
5961614	142	3	1149	287
5961520	150	20	8100	340
J0007	160	10	4,32	339,5
5961614	160	14	6070	347
J0087	200	25	13,5	449,5




OFICINA:

Polígono Industrial Morea Sur, 52
 31191 BERIAIN (Navarra) ESPAÑA
 Tel. +34 948.310.176
 Fax: +34 948.310.090
 e-mail: aldoma@arrakis.es
 Internet: www.aldoma.com

FABRICA

Manufacturas Aldoma
 Tel.: 0034-975.301.012
 Fax.: 0034-975.301.036
 E-MAIL ADDRESS: aldomaalmazan@arrakis.es

REFERENCIA	A mm.	B mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
1340400	9,5	9,5	1,4	97	53,2
13401015	15	10	1,3	113	66,3
13401515	15	15	1,5	169	85,5
13414000	20	20	1,3	200	117,5
13414000-B	20	20	1,5	229	115
13414020	20	20	2	302	115
4974	22,4	22	30	276	144,03
4151	25	25	2	383	145
J0003	30	30	2	464	175
13435302	30	35	2	518	195
J0004	31,1	33,5	1,4	356	190,46
4124	33	11	1,2	171	107
E-101182	40	25	1,5	351	175
13403724	24	37	3	691	188,9
9866	107	40	3	1,466	367
13403020	30	20	2	356	135
8716	40	27	1,5	368,6	182
8716	30	18	1,5	255	126
4123	36,7	10	1,2	175,5	110,22
13406020	60	20	2	518	195,2
8976020	60	20	1,9	495	196
8976030	60	30	6	2243	286
8976240	62	40	3	1105	276
5512	70	42	3	1,199	301,23
8976240	70	70	3,5	1754	413
J0011	100	40	2	950	355
1016 (ESP. DESIGUAL	131	75		8,802	540,7
1015 (ESP. DESIGUAL	150	75		9,315	578,3
5537	174	60	4	3	576,65



OFICINA:


Polígono Industrial Morea Sur, 52
 31191 BERIAIN (Navarra) ESPAÑA
 Tel. +34 948.310.176
 Fax: +34 948.310.090
[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)
[Internet: www.aldoma.com](http://www.aldoma.com)

FABRICA

Manufacturas Aldoma
 Tel.: 0034-975.301.012
 Fax.: 0034-975.301.036
[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
9411	8	1,5	82	40,8
7040		2,75	146	39,2
31032	9,9	1,65	126	51
134008	10	MACIZO	212	31,4
9408	10	1,5	108	53,8
3951005	10	4,5	170	46
8535	11	1,25	104	61,3
13201310	13	1,5	146	72,2
3186013	13,2	1	104	77
9409	14	1,5	159	78,2
9674	16	1	127	94,3
4362	16	4,4	433	72,88
3186018	18	1	144	107
13201815	18	1,5	210	103,7
5463	19	1,1	167	112,47
3951915	19	2	290	107
9675/13202000	20	1	161	119,4
3952017	20	1,3	207	118
13202015	20	1,5	235	116,2
J0095	20	2,5	372	110,1
13202219	22	1,5	261	128,7
3952218	22	2	341	126
13202320	23,2	1,2	224	138,2
J1025	24	1	94	69,2
13202521	25	2	390	144,5
9660	25	1,2	242	149,5
9676	28	1,2	273	168,4
3952521	25	2	392	145
3952721	27	3	613	151

REDONDOS



OFICINA:


Polígono Industrial Morea Sur, 52
 31191 BERRIAIN (Navarra) ESPAÑA
 Tel. +34 948.310.176
 Fax: +34 948.310.090
[e-mail: aldoma@arrakis.es](mailto:aldoma@arrakis.es)
[Internet: www.aldoma.com](http://www.aldoma.com)

FABRICA

Manufacturas Aldoma
 Tel.: 0034-975.301.012
 Fax.: 0034-975.301.036
[E-MAIL ADDRESS: aldomaalmazan@arrakis.es](mailto:aldomaalmazan@arrakis.es)

REFERENCIA	A mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
9536	28	2	440	163,4
8502	28,7	1,6	367	170,2
3925926	29	1,2	264	175
13203026	30	2	475	175,9
13203030	30	1,2	294	181
3953026	30	2	477	176
3953120	31	5,5	1194	160
32261	31,7	5	1143	168
J1000	31,8	2	563	186
3953127	31,85	2,25	567	186
8609	32,7	6,35	1.419	166
7041	33	2,5	647	191,2
3951094	35	2	562	207
9537	35	2,5	689	204,3
32264	35,3	1,5	434	212
318603238	38	3	891	291
13204040	40	1,3	427	243,1
3954037	40	1,5	492	242
J1001	40	2	0,645	1,37
13204032	40	4	1.220	226,2
J0097	41,8	2,75	911	242,5
3954240	42,3	1,2	420	258
J0099	44	5	1.655	245,1
13204545	45	1,2	447	275
8307	45	2,2	799	266,9
300482100	46,1	1	364	283
3954844	48	2	763	289
13205050	50	1,3	537	306,6
318603238	50	2	817	302

REDONDOS



OFICINA:

Polígono Industrial Morea Sur, 52
31191 BERIAIN (Navarra) ESPAÑA
Tel. +34 948.310.176
Fax: +34 948.310.090

e-mail: aldoma@arrakis.es
Internet: www.aldoma.com

FABRICA

Manufacturas Aldoma
Tel.: 0034-975.301.012
Fax.: 0034-975.301.036

E-MAIL ADDRESS: aldomaalmazan@arrakis.es

REFERENCIA	A mm.	C mm.	PESO TEORICO (gramos metro)	PERIMETRO TOTAL (mm.)
J0096	50	2	815	301
G0001	50,6	1,5	625	308,5
J0008	50,6	2,5	1.020	302,3
3186546	50	4	1.916	283
3186525	56,75	1,5	730	360
13257512	57,5	1,2	573	354
3955956	58,75	1,5	730	360
13206060	60	<	745	368
3956361	63	6	2.912	358
J1027	63,5	3	1.540	380,2
3186525	65	2,5	1.330	393
3956555	65	5	2.549	377
13207070	70	1,5	872	430,5
3957666	76	5	3.022	446
13280801	80	1	0,673	496
4076	80	1,4	933	493,86
3958075	80	2,5	1.650	487
3958064	80	8	4.889	452
3958070	80	6	3.181	471
13208080	80	5	3.186	471,2
3951094	100	3	2.478	610
3951068	100	6	4.602	591
3951080	100	10	7.662	566
31060	105,5	2	1.758	650
3951097	100,2	1,6	1.343	620
13200110	110	1,3	1.199	683
J1005 (MACIZO)	110		25.660	345

